Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	368	(wearable adj comput\$4) and GPS	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/10 09:11
L2	32	L1 and @ad<="20000402"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/10 09:11
L7	40	gps and wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/10 09:37
L8	27	L7 and client and server	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/10 09:37
L9	40	gps and wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/10 09:38
L13	218	wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/10 10:13
L15	20	(remot\$3 with wear\$3 with computer) same (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and @ad<"19981218"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/10 11:13
L16	50	wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and @ad<"19981218"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/10 10:43
L17	8	(remot\$3 with wearable and server) and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and @ad<"19981218"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/10 11:14
L18	2	((remot\$3 with wearable and server) and (generat\$3 or receiv\$3 or facilitat\$3 or obtain\$3 or transmitt\$3) with interact\$3) and @ad<"19981218"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/12/10 11:15
S1	1	("20020099817").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/29 07:20

S2	7	(thin with client with wearable with computer) and (state with server) and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/07/27 16:36
S3	74	"thin client" and wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/28 15:41
S4	56	"thin client" and wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and state	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/07/27 17:10
S5	49	"thin client" and wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and state and remote	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/07/27 17:12
S6	47	"thin client" and wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and state and remote and storage	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/07/27 17:13
S7	46	"thin client" and wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and state and remote and storage and wireless	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/07/28 09:59
S8	1	("6466232").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/07/28 09:59
S9	10	"thin client" and wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/03 12:11
S10	1	"5611050".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/03 12:03
S11	195	wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 09:59
S12	36	S11 and (state near15 change)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 10:00
S13	24	S12 and client and server	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/03 13:42

•	•					
514	5	S13 and (intermedia\$4 adj15 (module or state or device or system))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/03 13:42
S15	5	S14 and wireless	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/03 12:21
S16	3	S15 and sensor	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/03 13:43
S17	3	S16 and predict	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/03 12:19
S18	2	S17 and security	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/03 12:19
S19	34	gps and wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 09:11
S20	22	S19 and client and server	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 09:12
S21	7	S20 and (intermedia\$4 adj15 (module or state or device or system))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 09:12
S22	6	S21 and sensor	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/03 13:43
S23	5790	455/11.1.ccls. 455/404.2.ccls. 455/414.2.ccls. 701/302.ccls. 701/213-216.ccls. 340/546.ccls. 342/357\$3.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 08:53
S24	4700	S23 and (location position coordinate elevation).detd.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 08:53
S25	2436	S24 and (exchange\$4 proxy server mediat\$4 intermediat\$4 server provider)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 08:54
S26	23	S25 and (push same pull)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 08:54
S27	7	S26 and @ad<="20000402"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/28 15:43
S28	279	(wearable adj comput\$4) and GPS	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 08:56

_						
S29	0	S28 and @ad<="2000402"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 08:57
S31	299	(wearable adj2 comput\$4) and GPS	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 08:58
S32	30	S31 and @ad<="20000402"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 08:58
S33	11	(wearable adj2 comput\$4) and GPS and S24	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 08:59
S34	4	S33 and @ad<="20000402"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 08:59
S35	21	gps and wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and @ad<"20000402"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 09:50
S36	14	S35 and client and server	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 09:12
S37	2	S36 and (intermedia\$4 adj15 (module or state or device or system))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 09:12
S38	34	gps and wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 09:51
S39	22	S38 and client and server	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 09:21
S40	7	S39 and (intermedia\$4 adj15 (module or state or device or system))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 09:53
S41	7	S39 and (intermedia\$4 adj15 (module or state or device or system))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 09:49
S42	2	S39 and (intermedia\$4 adj15 (module or state or device or system)) and location and model	US-PGPUB; USPAT; EPO; JPO	OR .	ON	2005/03/08 09:53
S43	34	wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and gps and @ad<"20001128"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/28 15:46

				,	_r	
S44	3	S43 and (state near15 change) and location	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 10:07
S45	34	S43 and (location position)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 12:09
S46	24	S43 and (location position) and remot\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 12:23
S47	10	S45 not S46	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 12:18
S48	32	S43 and (location position) and (remot\$4 or (client and server))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 16:55
S49	2	S45 not S48	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 12:24
S50	1	"5611050".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 16:55
S51	0	("30andmedical").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/08 18:40
S52	0	("30andmedical").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/03/08 18:41
S53	11	S48 and medical	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/08 18:41
S54	1	"6762456".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/09 11:26
S55	1	"6766452".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/09 11:27
S56	847	client and wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/28 15:41
S57	76	S56 and @ad<="20000402"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/29 08:52

S58	23	wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3) and gps and @ad<"20000402"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/28 15:47
S59	16	S57 and S58	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/28 16:34
S60	7	S59 and sensor	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/29 07:54
S61	2	"6466232".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 07:22
S62	2	"6513046".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 07:22
S63	1	"6801223".PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/29 07:54
S64	850	client and wearable and server and (generat\$3 or receiv\$3 or facilitat\$3 or interact\$3 or obtain\$3 or transmitt\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/29 08:53
S65	23	S64 and @ad<"19981218"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/29 08:53